MSDS

ITEM NUMBER: 876 - SPA CHAIR DISINFECTANT

VERSION 3 EFFECTIVE DATE: 10/26/04 SUPERCEDES: 04/04/03 PREPARED BY: Regulatory Compliance Section(s) Revised: HMIS, II, III, VI, IX

IDENTITY (As Used On Label and List): SPA CHAIR DISINFECTANT

Emergency Medical Telephone Number 1-866-836-8855 (24 HRS) Outside the U.S.A. Call 952-852-4646 PRODUCT HAZARD RATINGS (NFPA): Health = *2, Fire = 2, Reactivity = 0, Protective Equipment = B (Rating Legend: 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

SECTION I

PRO SPA TELEPHONE NUMBER FOR INFORMATION: 1-800-630-4776

3650 W. MILLER RD,#410 DATE PRINTED: August 8, 2005

GARLAND, TX 75041 NAME OF PREPARER: Regulatory Compliance

SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION					
Chemical Names	CAS#	SARA Title III SEC 313	ACGIH TLV/TWA	OSHA PEL	% By Wt.
2 Butoxyethanol	111-76-2	Yes	25 ppm/ne	25ppm/ne	1-10
Tetrasodium salt of Ethylenediaminetetraacetic Acid	64-02-8	No	NA / NA	NA / NA	1-10
Liquified Petroleum Gas Mixture	68476-86-8	No	See below ingredient data		1-10
Propane	74-98-69	No	1000 ppm/ NE	1000 ppm/NE	(48-55)
n-Butane	106-97-8	No	1000 ppm/ NE	NE / NE	(45-49)
Balance of ingredients are non-haz	ardous or below rep	ortable levels.			

ente are non nazaraeae er belew repertable levele.

SECTION III - PHYSICAL CHARACTERISTICS

Boiling Point: NA Vapor Pressure (psig): 125 @ 130F / 44 @ 70F

Specific Gravity, calculated (H20=1): 0.9785 ± 0.005 pH: 12.33 Solubility/Water: Moderate

Vapor Density (AIR=1): ND Evaporation Rate (Ether=1): ND

Appearance and Odor: Hazy, yellowish aerosol spray with floral odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45 Flammable Limits - % Volume In Air (Propellant): LEL: 1.8 UEL: 9.2

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up. Use equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers. Unusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct

flame or heat contact should be cooled with water to prevent weakening of container structure.

SECTION V - REACTIVITY DATA

Stability: Stable Hazardous Polymerization: NA

Incompatibility (Materials to Avoid): Strong oxidizers, heat and open flame.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide and additional toxic chemicals may be

formed in small amounts.

Conditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry - Inhalation: Y Eyes: Y Skin: Y Ingestion: N

HAZARDS IDENTIFICATION: EYES: May cause moderate irritation. SKIN: Prolonged or repeated contact may cause irritation. INHALATION: Can cause dizziness, headaches, shortness of breath and incoordination. Nausea, vomiting and stomach upset can occur. INGESTION: Exposure by ingestion is unlikely since an aerosol, but if occurs: Can cause dizziness, faintness, headaches, and incoordination.

AGGRAVATED MEDICAL CONDITIONS: May aggravate pre-existing skin, nervous system, kidney conditions. CHRONIC EFFECTS/TARGET ORGANS: Liver. Kidneys. Nervous system. Lungs and/or respiratory system. Eyes. Skin. Heart

and/or circulatory system. Blood and/or blood-forming organs. Mucous membranes.

EMERGENCÝ AND FIRST AID PROCEDURES: EYES: Immediately flush with plenty of water for at least 15 minutes. Get

prompt medical attention. SKIN: Wash with soap and plenty of water. INHALATION: Remove to fresh air. If symptoms develop, seek immediate medical attention. INGESTION: Get immediate medical attention. Do NOT induce vomiting unless

directed by medical personnel. Never give anything by mouth to an unconscious person.